



# FRYER RANGE

The Fryer Range is the joint-effort between Kolb and the international leading foods services equipment manufacturers, which is aimed to offering utmost convenience and work efficiency to customers.

# DONUT FRYER

## FRYER RANGE

The **Donut Fryer** is a single table top unit; or equipped with optional base unit, mobile stand, proofer or roll-in proofer.

**Kolb** EQUIPMENTS



### MODEL

<i>Table Models</i>	WW-T 05	WW-T 20
<i>Mobile Floor Models</i>	WW-S 05	WW-S 20
<i>Mobile Proofer Models</i>	WW-G 05	WW-G 20
<i>Roll-in Proofer Models</i>	WW-GW 05	WW-GW 20
<i>Proofing Container</i>	C-05	C-20

### TECHNICAL DATA

<i>Swing pan Dimensions</i>	580 x 580mm	580 x 980mm
<i>Output per hour</i>	360 pieces	600 pieces
<i>Width in closed position</i>	1010 mm	1425 mm
<i>Width in working position</i>	1635 mm	2420 mm
<i>Height</i>	1120 mm	1120 mm
<i>Depth</i>	820 mm	820 mm
<i>Electrical input for heating</i>	6.0kW	9.0kW
<i>Total electrical input</i>	6.8kW	10.5kW
<i>Supply Voltage</i>		

# CHICKEN FRYER

## FRYER RANGER

The **Deep Fryer** is jointly developed with the leading American equipment manufacturer - Giles, features with easy operation and quick oil temperature recovery. It is designed to bring the utmost convenience and cost saving.

Deep-volume Fryer and Double-Basket Fryer are available for your choice.



GC-1081



GC-2087

### DEEP FRYER GC-1081

### DOUBLE BASKET FRYER GC-2087

Dimension when opened : Width (cm)	660	450
: Depth (cm)	1030	900
: Height (cm)	1100	1050
Voltage (V)	400V/3ph/50~60Hz	
Weight (KG)	200	100
Current (A)	28	27.6
Power (kW)	18	18.2

