



# INDUCTION COOKER

It can realise many different flavours of creams, sauces and mousses in the same way, in order to combine new colours and flavours in the cakes and desserts.

# WOK LINE

## INDUCTION COOKER

This exceptional wok appliance offers 12 power levels and has a Ceran wok cuvette with a diameter of 300 mm. It is especially energy efficient and is operated using the new "Tip and Turn" control knob. Further highlights are the integrated timer function, the high operational reliability and the transfer of power with no pauses for measurement.

**Kolb** EQUIPMENTS



### INSTINCT WOK 3.5

### INSTINCT WOK 5

### INSTINCT WOK 5

<i>Number of heating zones</i>	1	1	1
<i>Ceran glass surface B x D(mm)</i>	Ø 300 Wok Ceran bowl	Ø 300 mm Wok Ceran bowl	Ø 300 mm Wok Ceran bowl
<i>Inductor diameter</i>	Ø inductor coil 270 mm	Ø inductor coil 270 mm	Ø inductor coil 270 mm
<i>Power levels</i>	12	12	12
<i>Housing</i>	Stainless steel	Stainless steel	Stainless steel
<i>Electrical supply</i>	240V/50-60 Hz/1 phase	240V/50-60 Hz/3 phase	240V/50-60 Hz/3 phase
<i>Dimensions (W x D x H)mm</i>	356 x 473 x 200	356 x 473 x 200	356 x 473 x 200
<i>Power output (W)</i>	3500	5000	8000

# INDUCTION GRILL

## INDUCTION COOKER

This ultra-modern griddle appliance provides a temperature setting range of 50 - 230°C, has a very functional non-stick frying surface and a practical timer function. It is exceptionally energy efficient and its extremely short heating time and the absolutely uniform distribution of heat are truly impressive.



### INSTINCT GRIDDLE 3.5

### INSTINCT GRIDDLE 5

### INSTINCT GRIDDLE 10

	INSTINCT GRIDDLE 3.5	INSTINCT GRIDDLE 5	INSTINCT GRIDDLE 10
<i>Number zones</i>	1	1	2
<i>Griddle B x D (mm)</i>	493 x 352	493 x 352	618 x 577
<i>Temperature setting (°C)</i>	50 to 230	50 to 230	50 to 230
<i>Housing</i>	Stainless steel	Stainless steel	Stainless steel
<i>Electrical supply</i>	240V/50-60 Hz/1 phase	240V/50-60 Hz/3 phase	240V/50-60 Hz/3 phase
<i>Dimensions (W x D x H) mm</i>	530 x 492 x 197	530 x 492 x 197	356 x 473 x 200
<i>Power output (W)</i>	3500	5000	2 x 1250 - 5000

(can be reduced individually)

# INDUCTION HOB

## INDUCTION COOKER

This appliance with one cooking zone has 12 power levels with a holding function of 25 to 100°C and a timer function. It is especially energy efficient and is operated using the new "Tip and Turn" control knob. The appliance is convenient and operationally reliable and its very short heating times are impressive.

**Kolb** EQUIPMENTS



### INSTINCT HOB 3.5

### INSTINCT HOB 5

### INSTINCT HOB 10

<i>Number of heating zones</i>	1	1	2
<i>Ceran glass surface B x D (mm)</i>	372 x 349	372 x 349	372 x 609
<i>Inductor diameter (mm)</i>	Ø 220	Ø 220	Ø 220
<i>Power levels</i>	12	12	2 x 12
<i>Warm-holding function (°C)</i>	25 to 100	25 to 100	2 x 25 to 100
<i>Housing</i>	Stainless steel	Stainless steel	Stainless steel
<i>Electrical supply</i>	240V/50-60 Hz/1 phase	240V/50-60 Hz/3 phase	240V/50-60 Hz/3 phase
<i>Dimensions (W x D x H) mm</i>	356 x 460 x 140	356 x 460 x 140	356 x 721 x 140
<i>Power output (W)</i>	3500	5000	2 x 1250 - 5000

(Max. 5000, can be reduced individually)